

Research References:

Bonn, S. E., Sjölander, A., Lagerros, Y. T., Wiklund, F., Stattin, P., Holmberg, E., ... & Bälter, K. (2015). Physical activity and survival among men diagnosed with prostate cancer. *Cancer Epidemiology and Prevention Biomarkers*, 24(1), 57-64.

Courneya, K. S., Segal, R. J., Mackey, J. R., Gelmon, K., Reid, R. D., Friedenreich, C. M., ... & Yasui, Y. (2007). Effects of aerobic and resistance exercise in breast cancer patients receiving adjuvant chemotherapy: a multicenter randomized controlled trial. *Journal of Clinical Oncology*, 25(28), 4396-4404.

Frattaroli, J., Weidner, G., Dnistrian, A. M., Kemp, C., Daubenmier, J. J., Marlin, R. O., ... & Ornish, D. (2008). Clinical events in prostate cancer lifestyle trial: results from two years of follow-up. *Urology*, 72(6), 1319-1323.

Friedenreich, C. M., Wang, Q., Neilson, H. K., Kopciuk, K. A., McGregor, S. E., & Courneya, K. S. (2016). Physical activity and survival after prostate cancer. *European urology*, 70(4), 576-585.

Galvão, D. A., Spry, N., Denham, J., Taaffe, D. R., Cormie, P., Joseph, D., ... & Newton, R. U. (2014). A multicentre year-long randomised controlled trial of exercise training targeting physical functioning in men with prostate cancer previously treated with androgen suppression and radiation from TROG 03.04 RADAR. *European urology*, 65(5), 856-864.

Galvão, D. A., Spry, N. A., Taaffe, D. R., Newton, R. U., Stanley, J., Shannon, T., ... & Prince, R. (2008). Changes in muscle, fat and bone mass after 36 weeks of maximal androgen blockade for prostate cancer. *BJU international*, 102(1), 44-47.

Galvão, D. A., Taaffe, D. R., Cormie, P., Spry, N., Chambers, S. K., Peddle-McIntyre, C., ... & Newton, R. U. (2011). Efficacy and safety of a modular multi-modal exercise program in prostate cancer patients with bone metastases: a randomized controlled trial. *BMC cancer*, 11(1), 517.

Galvão, D. A., Taaffe, D. R., Spry, N., Gardiner, R. A., Taylor, R., Risbridger, G. P., ... & Shannon, T. (2016). Enhancing active surveillance of prostate cancer: the potential of exercise medicine. *Nature Reviews Urology*, 13(5), 258-265.

Galvao, D. A., Taaffe, D. R., Spry, N., Joseph, D., & Newton, R. U. (2009). Combined resistance and aerobic exercise program reverses muscle loss in men undergoing androgen suppression therapy for prostate cancer without bone metastases: a randomized controlled trial. *Journal of clinical oncology*, 28(2), 340-347.

Hardee, J. P., Porter, R. R., Sui, X., Archer, E., Lee, I. M., Lavie, C. J., & Blair, S. N. (2014, August). The effect of resistance exercise on all-cause mortality in cancer survivors. In *Mayo Clinic Proceedings* (Vol. 89, No. 8, pp. 1108-1115). Elsevier.

Irwin, M. L., Cartmel, B., Gross, C. P., Ercolano, E., Li, F., Yao, X., ... & Harrigan, M. (2014). Randomized exercise trial of aromatase inhibitor–induced arthralgia in breast cancer survivors. *Journal of Clinical Oncology*, 33(10), 1104-1111.

Kenfield, S. A., Stampfer, M. J., Giovannucci, E., & Chan, J. M. (2011). Physical activity and survival after prostate cancer diagnosis in the health professionals follow-up study. *Journal of Clinical Oncology*, 29(6), 726-732.

Morey, M. C., Snyder, D. C., Sloane, R., Cohen, H. J., Peterson, B., Hartman, T. J., ... & Demark-Wahnefried, W. (2009). Effects of home-based diet and exercise on functional outcomes among older, overweight long-term cancer survivors: RENEW: a randomized controlled trial. *Jama*, 301(18), 1883-1891.

Newton, R. U., & Galvão, D. A. (2016). Accumulating evidence for physical activity and prostate cancer survival: time for a definitive trial of exercise medicine?. *European urology*, 70(4), 586-587.

Rundqvist, H., Augsten, M., Strömberg, A., Rullman, E., Mijwel, S., Kharaziha, P., ... & Östman, A. (2013). Effect of acute exercise on prostate cancer cell growth. *PLoS One*, 8(7), e67579.

Segal, R. J., Reid, R. D., Courneya, K. S., Malone, S. C., Parliament, M. B., Scott, C. G., ... & Wells, G. A. (2003). Resistance exercise in men receiving androgen deprivation therapy for prostate cancer. *Journal of clinical oncology*, 21(9), 1653-1659.

Wolin, K. Y., Luly, J., Sutcliffe, S., Andriole, G. L., & Kibel, A. S. (2010). Risk of urinary incontinence following prostatectomy: the role of physical activity and obesity. *The Journal of urology*, 183(2), 629-633.